

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/656,001	0/656,001 09/05/2003		Ravi Narasimhan	MP0256	7519	
26200	7590	10/17/2006		EXAMINER		
FISH & RI		SON P.C.	PHAN, HUY Q			
P.O BOX 1022 MINNEAPOLIS, MN 55440-1022				ART UNIT	PAPER NUMBER	
			•	2617	2617	
			,	DATE MAILED: 10/17/2006	DATE MAILED: 10/17/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

<u> </u>		Application No.	Applicant(s)		
		10/656,001	NARASIMHAN, RAVI		
	Office Action Summary	Examiner	Art Unit		
		Huy Q. Phan	2617		
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address		
A SHOWHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATES as ions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (6(a). In no event, however, may a reply be time till apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. sely filed the mailing date of this communication. O (35 U.S.C. § 133).		
Status					
2a)⊠	Responsive to communication(s) filed on <u>28 Sec</u> This action is <b>FINAL</b> . 2b) This Since this application is in condition for allowan closed in accordance with the practice under E	action is non-final. ice except for formal matters, pro			
Dispositi	on of Claims				
5)⊠ 6)□ 7)□ 8)□ Applicati 9)□ 10)□	Claim(s) 2,4-11,13,15-22,24,26-33,35,37-44,46  4a) Of the above claim(s) is/are withdraw Claim(s) 9, 11, 20, 22, 31, 33, 42, 44, 53, 55, 5  Claim(s) is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/or  on Papers  The specification is objected to by the Examiner The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction The oath or declaration is objected to by the Examiner	vn from consideration.  8 and 59 is/are allowed.  election requirement.  epted or b) □ objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is objected to by	Examiner. ≘ 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).		
Priority ı	ınder 35 U.S.C. § 119				
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.					
2)  Notic Notic Notic	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite		

#### **DETAILED ACTION**

1. The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Art Unit 2617.

## Response to Amendment

This Office Action is in response to Amendment filed on date: 09/28/2006.
 Claims 2, 4-11, 13, 15-22, 24, 26-33, 35, 37-44, 46, 48-55, and 57-59 are still pending.

## Response to Arguments

- 3. Applicant's arguments, see REMARKS, have been fully considered but they are not persuasive.
- a) Applicant argued that "Kadous does not disclose or suggest selecting a constellation for transmission on the active antennas where said selecting the constellation for transmission on the active antennas comprises selecting different constellations two or more of the active antennas" (see REMARKS pages 18-24). The examiner respectfully disagrees. Kadous shows that the coded data for each data stream is modulated based on one or more constellation selection (e.g., BPSK, QSPK, M-PSK, or M-QAM) to provide the specific modulation symbol (see fig. 1 and col. 4, lines 31-67). Kadous also teaches that each specific modulation symbol is selected for each transmit antenna (col. 18, lines 15-17). Since the different selected constellations

provide the different modulation symbols (see fig. 5 and col. 17, line 12--col. 18, line 45); therefore Kadous discloses the claimed limitation of "selecting a constellation for transmission on the active antennas where said selecting the constellation for transmission on the active antennas comprises selecting different constellations two or more of the active antennas".

b) Applicant argued that "Koadous does not disclose selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin" (see REMARKS pages 20-24). The examiner respectfully disagrees. Kadous shows that each specific symbol stream is transmitted on selected antenna (see fig. 5 and col. 17, line 12--col. 18, line 45). Kadous also suggests that the symbol stream with the highest margin should be selected (col. 16). Since each symbol stream is determined based on SNR (for details see cols. 11-18); therefore Kadous discloses the claimed limitation of "selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin".

The examiner relies upon references, as a whole, to read on the claimed limitations. References' specific citations are to pinpoint pertinent passages to aid in the understandings of the reference as applied to the particular claimed elements.

With all the reasons stated above, the rejection is deemed proper and still stands.

## Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2, 4-8, 10, 13, 15-19, 21, 24, 26-30, 32, 35, 37-41, 43, 46, 48-52, 54 and 57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Malaender (US-2003/0223391) in view of Kadous (US-6,801,580).

Regarding claims 4, Malaender teaches a method comprising: selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach selecting a constellation for transmission on the active antennas where said selecting the constellation for transmission on the active antennas comprises selecting different constellations two or more of the active antennas. However, Kadous teaches a similar method of "patial receiver processing techniques include a channel correlation matrix inversion (CCMI) technique (which is also referred to as a zero-forcing technique) and a minimum mean square error (MMSE) technique" (see col. 20, lines 29-37); thus, making it analogous art since it is in the same field of endeavor. Kadous further teaches selecting a constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) where said selecting the constellation for transmission on the active antennas comprises selecting different

constellations two or more of the active antennas (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 7, Malaender teaches a method comprising:

selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin. Kadous further teaches where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for more details see cols. 11-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 15, Malaender teaches an apparatus (fig. 1B) comprising:

a processor (fig. 1B, 140) operative to select a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higherorder statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach wherein the processor is operative to select a constellation for transmission on the active antennas and select different constellations two or more of the active antennas. Kadous further teaches wherein the processor (col. 21, lines 3-11) is operative to select a constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) and select different constellations two or more of the active antennas. (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 18, Malaender teaches an apparatus (fig. 1B) comprising:
a processor (fig. 1B, 140) operative to select a subset of active antennas from a
plurality of available antennas in an multi-element antenna system based on higherorder statistics of a propagation medium ([0043]-[0051]; described as "channel
coefficient matrix"). But, Malaender fails to expressly teach where the processor is
operative to select a constellation for transmission on the active antennas and select an

optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin. Kadous further teaches where the processor (col. 21, lines 3-11) is operative to select a constellation for transmission on the active antennas and select an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for more details see cols. 11-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 26, Malaender teaches an apparatus (fig. 1B) comprising: a processor (fig. 1B, 140) including means for selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium. But, Malaender fails to expressly teach means for selecting a constellation for transmission on the active antennas including means for selecting different constellations two or more of the active antennas. Kadous further teaches means for selecting a constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) including means for selecting different constellations two or more of the active antennas (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received"

symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 29, Malaender teaches an apparatus (fig. 1B) comprising: a processor (fig. 1B, 140) including means for selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium. But, Malaender fails to expressly teach where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin. Kadous further teaches where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for more details see cols. 11-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 37, Malaender teaches a system (fig. 1) comprising: a propagation medium (fig. 1A, 130);

a first transceiver including a plurality of available antennas (fig. 1A; antennas 111a-m);

Art Unit: 2617

a second transceiver including a plurality of available antennas (fig. 1A; antennas 121a-n);

a processor (fig. 1B, 140) operative to determine higher-order statistics of a propagation medium from signals received from the plurality of available antennas at the first transceiver ([0046]-[0047]); and antennas selection module operative to select a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0046]-[0047]). But, Malaender fails to expressly teach where the processor is operative to select a constellation for transmission on the active antennas and select different constellations two or more of the active antennas. Kadous further teaches where the processor (col. 21, lines 3-12) is operative to select a constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) and select different constellations two or more of the active antennas (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 40, Malaender teaches a system (fig. 1) comprising: a propagation medium (fig. 1A, 130);

Art Unit: 2617

a first transceiver including a plurality of available antennas (fig. 1A; antennas 111a-m);

a second transceiver including a plurality of available antennas (fig. 1A; antennas 121a-n);

a processor (fig. 1B, 140) operative to determine higher-order statistics of a propagation medium from signals received from the plurality of available antennas at the first transceiver ([0046]-[0047]); and

antennas selection module operative to select a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0046]-[0047]). But, Malaender fails to expressly teach where the processor is operative to select an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin. Kadous further teaches where the processor (col. 21, lines 3-12) is operative to select an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for more details see cols. 11-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 48, Malaender teaches a computer program [0054] comprising the steps of:

Art Unit: 2617

selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach selecting a constellation for transmission on the active antennas where said selecting the constellation for transmission on the active antennas comprises selecting different constellations two or more of the active antennas. Kadous further teaches selecting a constellation for transmission on the active antennas where said selecting the constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) comprises selecting different constellations two or more of the active antennas (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 51, Malaender teaches a computer program [0054] comprising the steps of:

selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach where said selecting comprises selecting an optimum number of

antennas to maximize a minimum signal-to-noise (SNR) margi. Kadous further teaches where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for more details see cols. 11-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claim 2, 13, 24, 35, 57 and 46, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37, 40 and 48 respectively. Malaender further teaches wherein the higher-order statistics comprise second-order statistics of the propagation medium ([0046]-[0047]).

Regarding claim 5, 16, 27, 38 and 49, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37 and 48 respectively. Kadous further teaches wherein the multi-element antenna system comprises a multiple-in multiple-out (MIMO) system (see abstract).

Regarding claim 6, 17, 28, 39 and 50, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37 and 48 respectively. Malaender further teaches

wherein said selecting comprises selecting the subset of active antennas based on correlation matrices among the active antennas ([0046]-[0047]).

Regarding claim 8, 19, 30, 41 and 52, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37 and 48 respectively. Malaender further teaches wherein said selecting comprises selecting the subset of active antennas based on a fixed data rate [0018].

Regarding claim 10, 21, 32, 43 and 54, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37 and 48 respectively. Kadous further teaches allocating substantially equal power to each of said active antennas (col. 15, lines 63-67).

# **Reasons for Allowance**

2. Claims 9, 11, 20, 22, 31, 33, 42, 44, 53, 55, 58 and 59 are allowed.

The following is a statement of reason for the indication of allowance:

Claims 9, 11, 20, 22, 31, 33, 42, 44, 53, 55, 58 and 59 are allowed with the same reasons set forth in the Office Action mailed 05/01/2006 (page 13).

#### Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 2617

Hottinen discloses "The parallel transmission via a plurality of antenna elements in transceiver and terminal enables a reduction of Eb/No (Eb=energy per bit; No=noise power density per Hz) requirements for achieving data rates associated with higher order constellations like 8PSK, 16QAM, or 64QAM" (see specification).

#### 6. THIS ACTION IS MADE FINAL.

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huy Q Phan whose telephone number is 571-272-7924. The examiner can normally be reached on 8AM-6PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, George Eng can be reached on 571-272-7495. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2617

Page 15

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Huyelan

SUPERVISORY PATENT EXAMINER

Examiner: Phan, Huy Q.

AU: 2617

Date: 10/04/2006